SONIC_{TM} SONIC BEAM

GLOBAL

comfortably durable



SONIC_{TM} SONIC BEAM_{TM}

multiple seating solution



Sonic 6514 Frames are standard in Chrome and optional in Black, Tungsten and Charcoal



Selected models are available with casters

Contemporary and affordable stacking chairs

Sonic, offers exceptional value in a contemporary seating series. A wide range of models suits a variety of interior applications including: meeting rooms, offices, reception areas, cafeterias, waiting rooms and lecture halls. Sonic's versatility is endless. The series is offered with or without arms, with casters, with a mesh back, as a task chair, as a counter height stool, with left or

right tablet arms and in a beam seating configuration.

Sonic's molded seat and back are strong, durable, easy to clean and available in black, burgundy, blue and grey. Frame finishes are offered in black, tungsten or chrome. Upholstered seats and backs are available as an option.



Contemporary and affordable stacking chairs



6514T (R) Sonic with Tablet Tablet arms, left or right handed, are available on most Sonic chairs



6514MB Sonic Mesh All Sonic models are available with Black mesh backs

Sonic Stacking chairs





Sonic 6513



Sonic 6514



Sonic 6515



Stylish and affordable public area seating



6500S3 Sonic Beam Unit with two 6503 Seat Units in Momentum Idiom Red Hot (ID26, Grade10) and one 6507 Table Top.

Sonic beam is an affordable and efficient seating solution to furnish public spaces or reception areas. Its available in three lengths to accommodate up to four seating units and seat and table modules can be placed in any order

along the beam. Upholstered seat and back inserts are replaceable for easy maintenance in high traffic areas.

Sonic Stacking chairs



Sonic 6524



Sonic 6559




Sonic chairs can stack five high on floor or 10 high on sonic's dolly.



SONIC_{TM} SONIC BEAM_{TM}

Shell colors — Sonic | Sonic Beam can be upholstered in any Global fabric



Sonic Beam - Seat and Back Options



Polypropylene seat and back

Upholstered seat with polypropylene back



Upholstered seat and upholstered pad on black polypropylene back



SONIC

1

SONIC BEAM

| seat and b 21½ 546 | | H IN mm Chair with | IN mm | | |
|--|--|---|---|--|--|
| 6508 Armless S seat and b 21½ 546 | tacking (lack 21½ | | mm | | |
| Armless S seat and b 21½ 546 | ack 21½ | Chair with | | | |
| seat and b 21½ 546 | ack 21½ | hair with | | | |
| 21½ <i>546</i> | 21½ | | n polypropylen | | |
| | EAC | 33 | 18 | | |
| 6513 | 340 | 838 | 457 | | |
| 6513 Stacking Armchair with polypropylene | | | | | |
| seat and b | | with poi | ургоругене | | |
| 23 | 21½ | 33 | 18 <i>457</i> | | |
| | 540 | 000 | 437 | | |
| 6518 Armless Stacking Chair with sled base, | | | | | |
| polypropyl | ene seat | and back | | | |
| | | | 17 <i>432</i> | | |
| | | 020 | 102 | | |
| | Armchair | with sle | d base, | | |
| polypropy | ene sea | t and bac | k | | |
| 23 584 | 21 533 | 32½ 826 | 17 <i>432</i> | | |
| | | | | | |
| 6558 Armless Counter Height Stool with | | | | | |
| | | | | | |
| 22 559 | 23 584 | | 28 711 | | |
| | | | | | |
| Counter Height Stool with arms, | | | | | |
| polypropy | ene sea | t and bac | :k | | |
| | | | 28 711 | | |
| | 001 | 1007 | ,,,, | | |
| 6573 Armchair with casters, polypropylene sea | | | | | |
| and back | 01 | 00 | 171/ | | |
| 23 584 | 533 | 32 813 | 17½ 445 | | |
| 6577 | | | | | |
| | | casters, | polypropylene | | |
| | | 32 | 17½ | | |
| 533 | 533 | 813 | 445 | | |
| 6508T (R |) | | | | |
| Armless chair with right tablet arm | | | | | |
| | | | :к 18 | | |
| 546 | 546 | 838 | 457 | | |
| 6513T (R |) | | | | |
| Armchair | with righ | | | | |
| | | | | | |
| 23 584 | 21½ 546 | 33 838 | 18 <i>457</i> | | |
| | | | | | |
| Task chair | with an | ms, polyp | propylene seat | | |
| and back | 2012 | 3212 | 15½-19½ | | |
| 23 584 | 20½ 521 | 32/2 826 | 394-495 | | |
| 6517 | | | | | |
| Stacking (| | | | | |
| | | | ly. Black only | | |
| 22% 556 | 21½ 546 | 10½ 262 | | | |
| | 584 6518 Armless S polypropyl 22 559 6523 Stacking A polypropyl 23 584 6558 Armless C polypropyl 259 6563 Counter H polypropyl 23 584 6573 Armchair G 584 6573 Armchair G 584 6573 Armless class and back 21 533 6508T (R Armless class clas cla | 584 546 6518 Armless Stacking C Armless Stacking C polypropylene seat 22 21 559 533 6523 Stacking Armchair Stacking Armchair polypropylene seat 23 21 584 533 6558 Armless Counter H Armless Counter Height Stt polypropylene seat 23 23 559 584 6563 Counter Height Stt polypropylene seat 23 23 21 584 584 6573 Armchair with cas Armless chair with seat and back 21 21 21 533 533 6508T (R) Armless chair with righ Armless chair with righ 546 6513T (R) Armless chair with ari Armless chair with righ 546 6567 Task chair with ari 23 21½ 584 546 65 | 584 546 838 6518 Armless Stacking Chair with polypropylene seat and back 22 21 $32/4$ 2559 533 826 6523 Stacking Armchair with sle polypropylene seat and back 23 21 $32/4$ 2584 533 826 6558 Armless Counter Height Stropolypropylene seat and back 22 23 42 259 584 1067 6563 Counter Height Stool with a polypropylene seat and back 23 21 32 2584 584 1067 6563 Counter Height Stool with a polypropylene seat and back 23 21 32 23 21 32 584 533 6573 Armchair with casters, poly and back 23 21 32 254 533 813 5657 Armless chair with casters, poly seat and back 21 21 32 $21/4$ $21/4$ 33 546 546 5137 $R)$ R 838 6567 | | |

| | ~ | | - • - | | |
|-------------|--------------------------|------------------|------------------|-------------------------|--|
| | w | DIMEN | SIONS H | SEAT HEIGHT | |
| | IN | IN | IN | IN | |
| | mm | mm | mm | mm | |
| | | | | n upholstered | |
| | seat and p 21½ | olypropy 22 | lene bac 33 | k 18½ | |
| | 546 | 559 | 838 | 470 | |
| | 6514 Stacking A | rmchair | with uph | olstered seat | |
| | and polypr 23 | opylene 22 | back 33 | 18½ | |
| 1.1 | 584 | 559 | 838 | 470 | |
| | 6519 Armless St | ooking (| hair with | alad basa | |
| - | upholstere | d seat ar | id polypro | pylene back | |
| | 22 559 | 21 <i>533</i> | 33 <i>838</i> | 17½ 445 | |
| ×. <u>.</u> | 6524 | 000 | 000 | | |
| | Stacking A | | | | |
| | upholstered 23 | d seat an 21 | d polypro 33 | pylene back 17½ | |
| 14 | 584 | 533 | 838 | 445 | |
| | 6559 | | | | |
| | Armless Co upholstere | | | ol with opylene back | |
| - | 22 | 23 | 42 | 28½ | |
| 1 1 | 559 | 584 | 1067 | 724 | |
| | 6564 Counter He | eiaht Sto | ol with a | rms. | |
| | | | | ropylene back 28½ | |
| | 584 | 584 | 4272 1080 | 724 | |
| | 6574 | | | | |
| | Armchair v and polypr | | | olstered seat | |
| | 23 | 21½ | 32 | 18 | |
| • | 584 | 546 | 813 | 457 | |
| | 6578 Armless ch | air with | casters, | upholstered | |
| | seat and p 21 | | | | |
| 1.1 | 533 | 546 | 32 813 | 457 | |
| | 6509T (R) | | | | |
| | Armless ch | | | let arm opylene back | |
| | 21½ | 22 | 33 | 18½ | |
| 1.15 | 546 | 559 | 838 | 470 | |
| | 6514T (R) | | | | |
| - | Armchair v seat and p | | | rm upholstered k | |
| T | 23 584 | 22 559 | 33 <i>838</i> | 18½ 470 | |
| 1.0 | | 009 | 030 | 470 | |
| | | | | stered seat | |
| - | and polypr 23 | opylene 20½ | back 32½ | 16-20 | |
| + | 584 | 521 | 826 | 406-508 | |
| | 6526 | | | | |
| 41 | Ganging Cl base mode | | , only for | use with sled | |
| Ш | 3/4 | 5¾ | 1¼ | | |
| N 1 | 19 | 146 | 32 | | |

| | | DIMEN | SIONS | SEAT | |
|---------|----------------------|-----------------------|---------------------|------------------|--|
| | w | D | Н | HEIGHT | |
| | IN | IN | IN | IN | |
| | mm | mm | mm | mm | |
| | 6511 | | | | |
| | | | Chair w | ith upholstered | |
| | seat and 21% | раск 22 | 34 | 18½ | |
| | 546 | 559 | 864 | 470 | |
| | 6515 | | | | |
| | Stacking | | r with up | pholstered seat | |
| | and back 23 | 22 | 34 | 18½ | |
| 11 | 584 | 559 | 864 | 470 | |
| | 6521 | | | | |
| | Armless S | | | h sled base, | |
| | upholster 22 | ed seat a 21 | and back 33 | 17½ | |
| 94 | 559 | 533 | 838 | 445 | |
| | 6525 | | | | |
| | Stacking | Armchair | with sle | d base, | |
| | upholster | | | 171/ | |
| 94 | 23 584 | 21 533 | 33 <i>838</i> | 17½ 445 | |
| _ | | | | | |
| | 6561 Armless | Counter | Heiaht S | tool with | |
| | upholster | red seat | and back | (| |
| 15 | 22 559 | 23 584 | 42½ 1080 | 28½ 724 | |
| | | 504 | 1000 | 724 | |
| | 6565 Counter I | Hojaht St | tool with | arme | |
| | upholster | | | | |
| HA- | 23 | 23 | 421/2 | 28½ | |
| 1.1 | 584 | 584 | 1080 | 724 | |
| | 6575 Armehair | with co | etore un | holstered seat | |
| A | and back | | sters, up | ווטוטנפופע טפמנ | |
| 111 | 23 | 21½ | 33 | 18 | |
| • | 584 | 546 | 838 | 457 | |
| | 6579 Armless | chair wit | h caster | s, upholstered | |
| | seat and | | | 5, uprioratorou | |
| + [+] | 21 | 21% | 33 | 18 <i>457</i> | |
| - 10 | 533 | 546 | 838 | 437 | |
| | 6511T (F | | h right + | ablet arm | |
| 5 | upholster | | | | |
| | 21½ | 22 | 34 | 18½ | |
| 10.0 | 546 | 559 | 864 | 470 | |
| | 6515T (F | | | | |
| F | Armchair seat and | | nt tablet a | arm upholstered | |
| | 23 | Dack 22 | 34 | 18½ | |
| 0121 | 584 | 559 | 864 | 470 | |
| | 6569 | | | | |
| | lask cha and back | | rms, uph | olstered seat | |
| T | 23 | 20½ | 33 | 16-20 | |
| | 584 | 521 | 838 | 406-508 | |
| 100 | 6522 | | | | |
| 1 | | | et, only f | or use with | |
| | 4 legged | models 5¾ | 1¼ | | |
| | 19 | 146 | 32 | | |
| | | | | | |
| | 001 | 046 F | /· | | |
| vnsview | | office Fu al Way D | rniture (I arwen | UK) LTO. | |

Global Way Darwen

Lancashire UK BB3 ORW

Tel +44(0) 1254 778500

Fax +44(0) 1254 778519

Global - U.S.A. 17 West Stow Road P.O. Box 562 Marlton New Jersey U.S.A. 08053 Tel (856) 596-3390 (800) 220-1900 Fax (856) 596-5684

Global - International 560 Supertest Road Downsview Ontario Canada M3J 2M6 Tel (416) 661-3660 (800) 668-5870 Fax (416) 667-1821

Visit us on the World Wide Web at www.globaltotaloffice.com

The Global Group, 1350 Flint Rd., Downsview ON Canada M3J 2J7

Sales & Marketing: Tel (1-877) 446-2251

Government Customer Service: Fax (416) 739-6319

Customer Service: Fax (800) 361-3182

Global - Canada

Offices throughout Canada, United States, United Kingdom, France, Brazil, Australia and Italy. Distribution around the world. A member of the Global Group.

